

Problem Měilì

Input file stdin
Output file stdout

We have two generators made by AI. One is wrong on one test, the other is wrong on another.

马德尤

The organizing committee decided to be very short, brief and terse with the statement of this problem, because of many obvious reasons.

We call an array of integer elements *chic* if the sum of its elements is even.

Consider $\nabla(N, M)$ = the number of arrays of N elements from $\{0, 1, \dots, M\}$ such that the chosen array has an even number of *chic* subarrays.

Given N and M . compute

$$\sum_{i=0}^M \nabla(N, i) \bmod 998244353.$$

Input

You will have to answer T tests. On the next T lines, you will be given two numbers, N and M , with their meaning explained above.

Output

You will have to print T integers – the answer for each case.

Restrictions

- $1 \leq T \leq 4$;
- $1 \leq N \leq 10^5$, for all tests;
- $1 \leq M \leq 10^9$, for all tests;
- A subarray of an array V with N elements is any contiguous subsequence of it (that is, of the form V_l, V_{l+1}, \dots, V_r for some l and r with $0 \leq l \leq r < N$).

#	Points	Restrictions
1	30	$N, M \leq 1\,000$
2	10	$M = 1$
3	60	No other restrictions

Examples

Input file	Output file	Explanations
2	4	There are $T = 2$ cases.
1 3	0	For the first case, one can compute that
2 3		$\nabla(1, 0) = 0, \nabla(1, 1) = 1, \nabla(1, 2) = 1$ and $\nabla(1, 3) = 2$. Thus, the sum is $(0 + 1 + 1 + 2) \bmod 998244353 = 4$.
		For the second case, it can be proven that there exist no arrays that satisfy the <i>chic</i> condition.